

Figure 1. The effect of the number of trials on the number of correct responses. The number of correct responses was significantly higher than the number of incorrect responses for all conditions. The number of correct responses was significantly higher than the number of incorrect responses for all conditions. The number of correct responses was significantly higher than the number of incorrect responses for all conditions.

1000

[illegible]

1. *Journal of the American Medical Association*, 1997; 278: 1019-1024.

Per	Alb	Lib	Dem	Rep	Mod	His	Asn	Lat	Day	Typ	His	Lat	Asn	Per
1					1				10					11

Mon.	Tue.	Wed.	Thurs.	Fri.	Sat.	Sun.	Mon.	Tue.	Wed.	Thurs.	Fri.	Sat.	Sun.
1	2	3	4	5	6	7	8	9	10	11	12	13	14

$$\text{As: } 13.6 \text{ Vol. Al: } 10.0 \text{ Gly: Al: } 1.1 \quad \text{Fe: } 5.0 \text{ Fe: } 1.0 \text{ Ag: } 5.0 \text{ Ag: } 1.0$$
[illegible]

•

Figure 1. Schematic diagram of the experimental setup.

Figure 1. The effect of the number of trials on the number of correct responses. The number of correct responses was significantly higher than the number of incorrect responses in all cases. The number of correct responses was significantly higher than the number of incorrect responses in all cases.

1	2
3	4

10. Ash Arg Ala Arg Ser Val Arg Ir Arg Arg Arg Val Arg Arg
1

Val Val Val Val Ser His Val Arg Ser Ser Arg Val Arg Arg Arg
1

Arg Arg Val Arg Val Val Val Arg Arg Arg Ser Val

11. 186

12. 187

13. 188

14. 189 190 191 192 193 194 195 196 197 198 199 200

201. 190

Arg Val Ser Glu Ile Val Leu Met His Arg Ser Arg Arg His Val
1 10 11

Arg Ser Met Val Arg Val Glu Trp Leu Arg Arg Arg Leu Val Arg
20 25 30

Val His Arg Ile Val Ala Leu Gly Ala Ir Leu Ala Ir Arg Arg
35 40 45

Ala Gly Ser Val Arg Ir Arg Arg Arg Val Arg Arg Val Ser Val
50 55 60

Val Ser His Arg Arg Ser Leu Gly Val Ala Arg Arg Ala Arg Val
65 70 75

Arg Val Ser Ile Arg Arg Arg Ser Val